



GRUPPO CIMBALI

Via Manzoni, 17 - 20082

Binasco (MI) Italy

T +39 02.900491

cimbali@gruppocimbali.com

gruppocimbali.com

LA CIMBALI

cimbali.com

The manufacturer reserves the right to modify the appliances presented in this publication without notice.

PRICE LIST



LA CIMBALI

cimballi.com

CONTACTS

Website:
gruppocimbali.com
cimbali.com

INDEX

• SUPERAUTOMATIC ESPRESSO COFFEE MACHINES	p.	1
• TRADITIONAL ESPRESSO COFFEE MACHINES.....	p.	11
• CAPTION	p.	19
• SALES TERMS	p.	20



SUPERAUTOMATIC ESPRESSO COFFEE MACHINES

• S30 CS10 MilkPS	p. 2
• S30 CP10 MilkPs	p. 3
• S30 S10 TurboSteam Milk4 Cold Touch	p. 4
• S39 BARSYSTEM MilkPS	p. 5
• S39 BARSYSTEM TurboSteam	p. 6
• M1 MilkPS	p. 7
• M1 TurboSteam	p. 8
• M1 PROGRAM MilkPS/13	p. 9
• Q10 MilkPS/13 - Two Grinder-dosers	p. 10

S30 CS10

MilkPs

D5RMPB9DT999A \$ 22.600,00

Performance

Recommened daily production (cups):	300
Coffee output (cups / h):	200
Cappuccino output (150cc cups / h):	190
Hot water output (litres / h - 500cc quantities):	29
Liquid heating (litres / h - 500cc quantities):	33

- User friendly, superautomatic espresso and cappuccino coffee machine able to offer a varied menu also thanks to the use of soluble cocoa and hot and cold milk (Snow Milk).
- 10.4" touch screen for an easy machine use. Up to 24 drink selections. Pre-selection mode available.
- Equipped with the patented **Smart Boiler** technology.
- **Cappuccino System** for one-step cappuccino and latté simply touching the desired selection, equipped with the exclusive **Milk Precision System** (MilkPS) and with a special function which allows frothing milk without heating it; milk stays cold.
- 1 steam wand and 1 Teflon coated hot water wand (dosed delivery).
- 2 grinder-dosers featuring titanium coated high-performance grinding burrs.
- **PGS** (Perfect Grinding System): the PGS system allows minimizing the grind adjustment. During coffee delivery, the machine constantly keeps monitored all parameters of extraction and when required it adjusts the grind and dose of the ground coffee automatically.
- **AWS** (Automatic Washing System): the milk circuit wash cycle is fully automatic.
- Bi-directional **Wi-Fi** connectivity and **USB** port.



Features

Touch Screen drink selections	24
Hot water selections	2
Steam wands	1
Hot water wands	1
Boilers and boilers' capacity (litres)	1x0,7 + 1x1,25
Coffee group diameter (mm)	44 or 50
Grinders-dosers	2
Hoppers	2
Hoppers' capacity (kg)	1x1,2 + 1x1,0
Soluble drink hopper	1
Soluble drink hopper capacity (kg)	1,0

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (kg)	79
Power at 220-240V~ 60Hz (W)	4800 - 5700
Power at 380-415V3N~ 60Hz (W)	4800 - 5700



S30 CP10

MilkPS

D5BMPB9DT999A

\$ 21,600.00

Performance

Recommended daily production (cups):	300
Coffee output (cups / h):	200
Cappuccino output (150cc cups / h):	190
Hot water output (litres / h - 500cc quantities):	29
Liquid heating (litres / h - 500cc quantities):	33

- User friendly, superautomatic espresso and cappuccino coffee machine able to offer a varied menu also thanks to hot and cold milk (Snow Milk).
- 10.4" touch screen for an easy machine use. Up to 24 drink selections. Pre-selection mode available.
- Equipped with the patented **Smart Boiler** technology.
- **Cappuccino System** for one-step cappuccino and latté simply touching the desired selection, equipped with the exclusive **Milk Precision System** (MilkPS) and with a special function which allows frothing milk without heating it; milk stays cold.
- **1** steam wand and **1** Teflon coated hot water wand (dosed delivery).
- **PGS** (Perfect Grinding System): the PGS system allows minimizing the grind adjustment. During coffee delivery, the machine constantly keeps monitored all parameters of extraction and when required it adjusts the grind and dose of the ground coffee automatically.
- **2** grinder-dosers featuring titanium coated high-performance grinding burrs.
- **AWS** (Automatic Washing System): the milk circuit wash cycle is fully automatic.
- Bi-directional **Wi-Fi** connectivity and **USB** port.



Features

Touch Screen drink selections	24
Hot water selections	2
Steam wands	1
Hot water wands	1
Boilers and boilers' capacity (litres)	1x0,7 + 1x1,25
Coffee group diameter (mm)	44 or 50
Grinders-dosers	2
Hoppers	2
Hoppers' capacity (kg)	2 x 1,2

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (kg)	79
Power at 220-240V~ 60Hz (W)	4800 - 5700
Power at 380-415V3N~ 60Hz (W)	4800 - 5700



S30 S10

TurboSteam Milk4 Cold Touch

D5ARLB9DT999A \$ 20.600,00

Performance

Recommened daily production (cups):	300
Coffee output (cups / h):	200
Hot water output (litres / h - 500cc quantities):	29
Liquid heating (litres / h - 500cc quantities):	33

- User friendly, superautomatic espresso.
- 10.4" touch screen for an easy machine use. Up to 24 drink selections. Pre-selection mode available.
- Equipped with the patented **Smart Boiler** technology.
- **1 TurboSteam Milk4 Cold Touch** and **1** Teflon coated hot water wand (dosed delivery).
- **2** grinder-dosers featuring titanium coated high-performance grinding burrs.
- **PGS** (Perfect Grinding System): the PGS system allows minimizing the grind adjustment. During coffee delivery, the machine constantly keeps monitored all parameters of extraction and when required it adjusts the grind and dose of the ground coffee automatically.
- Be-directional **Wi-Fi** connectivity and **USB** port.



Features

Touch Screen drink selections	24
Hot water selections	2
Steam wands	TS Milk4 CT
Hot water wands	1
Boilers and boilers' capacity (litres)	1x0,7 + 1x1,25
Coffee group diameter (mm)	44 or 50
Grinders-dosers	2
Hoppers	2
Hoppers' capacity (kg)	2 x 1,2

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (kg)	79
Power at 220-240V~ 60Hz (W)	4800 - 5700
Power at 380-415V3N~ 60Hz (W)	4800 - 5700



S39 BARSYSTEM

MilkPS

C4QCBB9DT999A \$ 21.750,00

Performance

Coffee output (cups / h):	240
Cappuccino output (150cc cups / h):	190
Hot water output (litres / h - 500cc quantities):	30
Liquid heating (litres / h - 500cc quantities):	30

- User friendly superautomatic espresso and cappuccino machine.
- **Smart Boiler** technology, which significantly boosts steam and hot water capacity (approx. +30%).
- **ThermoDrive**, an easily adjustable group thermal balancing system.
- **Cappuccino System** for one-step cappuccino and lat-té, equipped with the exclusive **Milk Precision System** (MilkPS), thanks to which you can: obtain a consistent in-the cup milk dose; customize milk temperature for each selection (patented); prepare stratified beverages; place the fridge under the counter; assure ideal hygiene conditions by automatically emptying the milk circuit at the end of each delivery cycle.
- 1 steam wand.
- 1 hot water wand (dosed delivery).
- Water by-pass, a special device to deliver well-balanced in taste and aroma long coffee.
- Auto wash.



Accessories

Third coffee grinder-doser kit (the hopper can be easily divided in three)

NOA999999999A \$ 1.400,00

Removable wire baskets (managed as spare parts)

Features

Drink selections ("2 x" thanks to the Shift push button)	8 or 2 x 7
Hot water selections	2
Hot water wands	1
Steam wands	1
Group diameter (mm)	50
Cappuccino System with MilkPS	✓
ThermoDrive	✓
Smart Boiler technology	✓
Boilers	1
Boilers capacity (litres)	3
Grinder-dosers	2
Hoppers	2
Hoppers capacity (lb)	2 x 2,6

Technical information

Width x Depth x Height with standard feet (in)	21 x 26,5 x 33,1
Weight (lb)	165,3
Power at 208-240V~ 60Hz (W)	3600 - 4800



S39 BARSYSTEM

TurboSteam

C4LIBB9DT999A \$ 20.050,00

Performance

Coffee output (cups / h):	240
Hot water output (litres / h - 500cc quantities):	30
Liquid heating (litres / h - 500cc quantities):	30

- User friendly superautomatic espresso and cappuccino machine.
- **Smart Boiler** technology, which significantly boosts steam and hot water capacity (approx. +30%).
- **ThermoDrive**, an easily adjustable group thermal balancing system.
- **1 TurboSteam.**
- 1 hot water wand (dosed delivery).
- Water by-pass, a special device to deliver well-balanced in taste and aroma long coffee.
- Auto wash.



Accessories

Third coffee grinder-doser kit (the hopper can be easily divided in three)

NOA999999999A \$ 1.400,00

Removable wire baskets (managed as spare parts)

Features

Drink selections ("2 x" thanks to the Shift push button)	8 or 2 x 7
Hot water selections	2
Hot water wands	1
Steam wands	TurboSteam
Group diameter (mm)	50
Cappuccino System with MilkPS	✓
ThermoDrive	✓
Smart Boiler technology	✓
Boilers	1
Boilers capacity (litres)	3
Grinder-dosers	2
Hoppers	2
Hoppers capacity (lb)	2 x 2,6

Technical information

Width x Depth x Height with standard feet (in)	21 x 26,5 x 33,1
Weight (lb)	165,3
Power at 208-240V~ 60Hz (W)	3600 - 4800



M1
MilkPS

CZLP9E9DT999A \$ 15.800,00

Performance

Coffee output (cups / h):	200
Cappuccino output (150cc cups / h):	190
Cappuccino output (12oz cups / h):	100
Cappuccino output (16oz cups / h):	80
Hot water output (US gal / h - 500cc quantities):	8,7
Milk heating (steam) (US gal / h - 500cc quantities):	7,7

- Small footprint superautomatic espresso and cappuccino machine.
- Equipped with the patented **Smart Boiler** technology, which significantly boosts steam and hot water capacity (approx. +30%).
- **Cappuccino System** for one-step cappuccino and lat-té, equipped with the exclusive **Milk Precision System** (MilkPS). With this feature you can: obtain a consistent in-the cup milk dose; customize milk temperature for each selection (patent pending); prepare stratified beverages; place the fridge under the counter.
- 1 steam wand.
- 1 hot water wand (dosed delivery).
- **Recommended daily output:** 150 cups.



Accessories

Hopper extension kit (up to 2.6 + 2.6 lb)	NY99B9999999A	\$ 155,00
Card reader kit	N599A9999999A	\$ 565,00
Direct grounds disposal kit	N599B9999999A	\$ 255,00
Sensor to detect coffee in the hopper	N599C9999999A	\$ 255,00

Features

Drink selections	8
Hot water selections	2
Cappuccino System with MilkPS	✓
Steam wands	1
Hot water wands	1
Group diameter (mm)	44
Smart Boiler technology	✓
Boilers	1
Boilers capacity (litres)	2,5
Grinder-dosers	2
Hoppers	2
Hoppers capacity (lb)	2,6 (2 x 1,3)

Technical information

Width x Depth x Height with tall feet (in)	13,8 x 24,4 x 32,5
Weight (lb)	119
Power at 208-240V~ 60Hz (W)	2600 - 3600



M1

TurboSteam

CZMI9E9DT999A \$ 14.900,00

Performance

Coffee output (cups / h):	200
Hot water output (US gal / h - 500cc quantities):	8,7
Milk heating (steam) (US gal / h - 500cc quantities):	6,9

- Small footprint superautomatic espresso and cappuccino machine.
- Equipped with the patented **Smart Boiler** technology, which significantly boosts steam and hot water capacity (approx. +30%).
- Equipped with LaCimbali's patented **TurboSteam** for milk frothing and heating without manual intervention.
- 1 hot water wand (dosed delivery).
- **Recommended daily output:** 150 cups.



Accessories

Hopper extension kit (up to 2.6 + 2.6 lb)	NY99B9999999A	\$ 155,00
Card reader kit	N599A9999999A	\$ 565,00
Direct grounds disposal kit	N599B9999999A	\$ 255,00
Sensor to detect coffee in the hopper	N599C9999999A	\$ 255,00

Features

Drink selections	8
Hot water selections	2
Steam wands	TurboSteam
Hot water wands	1
Group diameter (mm)	44
Smart Boiler technology	✓
Boilers	1
Boilers capacity (litres)	2,5
Grinder-dosers	2
Hoppers	2
Hoppers capacity (lb)	2,6 (2 x 1,3)

Technical information

Width x Depth x Height with tall feet (in)	13,8 x 24,4 x 32,5
Weight (lb)	119
Power at 208-240V~ 60Hz (W)	2600 - 3600



M1 PROGRAM

MilkPS/13

CWNPBB9DTSECA \$ 17.370,00

Performance

Coffee output (cups / h):	100
Cappuccino output (150cc cups / h):	95

- Compact superautomatic espresso and cappuccino machine.
- Equipped with the patented **Smart Boiler** technology, which significantly boosts steam and hot water capacity (approx. +30%).
- **Cappuccino System** for one-step cappuccino and lat-té, equipped with the exclusive **Milk Precision System** (MilkPS), thanks to which you can: obtain a consistent in-the cup milk dose; customize milk temperature for each selection (patented); prepare stratified beverages; place the fridge under the counter.
- Double hoppers and grinders.
- Cup positioner and others self-servicing devices (i.e. labels indicating cup right position, and so on).
- Sensor to detect coffee in the hopper
- Automatic rinsing and cleaning program.
- Silver body.
- The machine can be combined with a refrigerated unit for the preservation of milk.
- Auto wash.



Accessories

2 US gallon refrigerated unit for the preservation of milk (1 + 1 US gal.). The refrigerated unit is equipped with a 2milk presence” sensor.

LPL99Z9DF990A \$ 1.650,00

Features

Drink selections (“2 x” thanks to the Shift push button)	2 x 8
Group diameter (mm)	50
Cappuccino System with MilkPS	✓
Smart Boiler technology	✓
Boilers	1
Boilers capacity (litres)	2,5
Grinder-dosers	2
Hoppers	2
Hoppers capacity (lb)	2,6 (2 x 1,3)

Technical information

Width x Depth x Height with tall feet (in)	13,8 x 24 x 32,5
Weight (lb)	136,7
Power at 208-240V~ 60Hz (W)	2600 - 3600



Q10

MilkPS/13 - Two Grinder-dosers

CCNC9P9DT999A - 208V	\$ 11.020,00
CCNC9P9DF999A - 120V	\$ 11.020,00

Performance

Recommended daily output (cups):	100
Coffee output (2x30cc cups / h):	200
Cappuccino output (2x150cc cups / h):	140
Hot water output (litres / h - 250cc quantities):	18

- Small foot-print, superautomatic espresso, cappuccino and gourmet drinks' machine.
- Equipped with the patented **Smart Boiler** technology, which significantly boosts steam and hot water capacity (approx. +30%).
- HIQB coffee group characterised by a variable chamber to ensure optimal extraction of any kind of beverage.
- **Cappuccino System** for one-step cappuccino and lat-té, equipped with the exclusive **Milk Precision System** (MilkPS), thanks to which you can: obtain a consistent in-the cup milk dose; customize milk temperature for each selection (patented); prepare stratified beverages; place the fridge under the counter.
- Adjustable delivery spout (from 80 to 180 mm).
- Cups' guide.



Accessories

Card reader kit	NR9AL9999999A	\$ 565,00
Ground disposal kit	NR9AF9999999A	\$ 280,00

Features

Drink selections	8 or 2 x 7
Hot water selections	2
HIQB group diameter (mm)	48
Cappuccino System with MilkPS	✓
Adjustable delivery spout	✓
Smart Boiler technology	✓
Boilers	1 + 1
Boilers capacity (litres)	0,9 + 1,1
Coffee grinder-dosers	2
Coffee hoppers	2
Coffee hoppers capacity (kg)	2 x 0,6

Technical information

Width x Depth x Height with tall feet (in)	13,8 x 24,8 x 29,5
Weight (lb)	106.9
Power at 120V~ 60 Hz (W)	1650
Power at 208-240V~ 60 Hz (W)	1700 - 2300





TRADITIONAL ESPRESSO COFFEE MACHINES

• M100HD	p.	12
• M100 GT TurboSteam Milk4 - Tall cup Version	p.	13
• M39 TE DOSATRON TurboSteam Milk4 - Tall cup Version	p.	14
• M39 TE DOSATRON TurboSteam Milk4	p.	15
• M24 PLUS	p.	16
• M24 TE SELECT	p.	17
• M21 JUNIOR DT/1	p.	18



M100HD

DT/2	A0236K9BT999A	\$ 20.500,00
DT/3	A0336K9BT999A	\$ 25.500,00

- Equipped with a system which allows personalizing the extraction water pressure profile according to the coffee blend and the desired beverage.
- Thermal system based on a 10 liter boiler, with two heat exchangers in series, & independent coffee boilers. Each group temperature can be set independently and controlled directly by the display.
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material that reduces heat loss.
- **2** standard steam wands.
- **1** hot water wand. 3 different doses and temperatures set: fresh water from the mains heated by steam at delivery.
- New advanced electronics.
- **USB** port to update the machine's software, download data and / or configuration of the recipes via USB.
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.

Design by Valerio Cometti + V12 Design



Colour: polished Aluminium

Features	DT/2	DT/3
Steam wands	2	2
Hot water wands	1	1
Hot water selections	3	3
Boiler capacity (litres)	10	10
Smart Boiler technology	✓	✓
Independent coffee boilers	2	2
Independent coffee boiler capacity (cc)	400	400
Coffee boiler resistor (W)	800	800

Technical information		
Width x Depth x Height with tall feet (in)	33,1 x 22 x 25,6	40 x 22 x 25,6
Weight (lb)	209,4	240,3
Power at 208-240V~ 60 Hz (W)	5000 - 6700	5800 - 7700



M100 GT

TurboSteam Milk4 - Tall cup Version

DT/2	A0236H9BTDDGA	\$ 20.300,00
DT/3	A0336H9BTDDGA	\$ 25.300,00

- Model specifically designed to fit tall cups or glasses.
- Thermal system based on a 10 liter boiler, with two heat exchangers in series, & independent coffee boilers. Each group temperature can be set independently and controlled directly by the display.
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material that reduces heat loss.
- **1** standard steam wand + **1 TurboSteam Milk4**.
- **1** hot water wand. 3 different doses and temperatures set: fresh water from the mains heated by steam at delivery.
- New advanced electronics.
- **USB** port to update the machine's software, download data and / or configuration of the recipes via USB.
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.

Design by Valerio Cometti + V12 Design



Colour: polished Aluminium

Caractéristiques	DT/2	DT/3
Steam wands	1 + TS Milk4	1 + TS Milk4
Hot water wands	1	1
Hot water selections	3	3
Boiler capacity (litres)	10	10
Smart Boiler technology	✓	✓
Independent coffee boilers	2	2
Independent coffee boiler capacity (cc)	400	400
Coffee boiler resistor (W)	800	800

Technical information		
Width x Depth x Height with tall feet (in)	33,1 x 22 x 25,6	40 x 22 x 25,6
Weight (lb)	209,4	240,3
Power at 208-240V~ 60 Hz (W)	5000 - 6700	5800 - 7700




M39 TE DOSATRON

TurboSteam Milk4 - Tall cup Version

DT/2	B9210J9BTDDGA	\$ 17.900,00
DT/3	B9310J9BTDDGA	\$ 21.600,00

- Automatic espresso coffee machine, specifically designed to fit tall cups or glasses (max cup height 14 cm).
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material that reduces heat loss for a daily energy savings of 23%.
- **Thermdrive.**
- **1** standard steam wand and the patented **TurboSteam Milk4** for milk frothing and heating without manual intervention.
- **1** hot water wand (dosed delivery).
- Graphic display.
- Steam delivery control taps with reduced rotation.
- **USB** port to update the machine's software, download data and / or configuration of the recipes via USB.
- **Green machine:** Energy Saving software functions; recyclable materials.



Features	DT/2	DT/3
Steam wands	1 + TS Milk4	1 + TS Milk4
Hot water wands	1	1
Hot water selections	3	3
Boiler capacity (litres)	10	15
Smart Boiler technology	✓	✓
Thermdrive	✓	✓
Front panel	✓	✓
Graphic display	✓	✓
Technische Angaben		
Width x Depth x Height with tall feet (in)	33,7 x 22,4 x 25,4	41,5 x 22,4 x 25,4
Weight (lb)	189,6	229,3
Power at 208-240V 60Hz (W)	3500 - 4700	5400 - 7200



M39 TE DOSATRON

TurboSteam Milk4

DT/2	B9210J9BTG9BA	\$ 16.600,00
DT/3	B9310J9BTG9BA	\$ 19.970,00



- Automatic espresso coffee machine.
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material that reduces heat loss for a daily energy savings of 23%.
- **Thermodrive**.
- **1** standard steam wand and the patented **TurboSteam Milk4** for milk frothing and heating without manual intervention.
- **1** hot water wand (dosed delivery).
- Graphic display.
- Steam delivery control taps with reduced rotation.
- **USB** port to update the machine's software, download data and / or configuration of the recipes via USB.
- **Green machine:** Energy Saving software functions; recyclable materials.

Features	DT/2	DT/3
Steam wands	1 + TS Milk4	1 + TS Milk4
Hot water wands	1	1
Hot water selections	3	3
Boiler capacity (litres)	10	15
Smart Boiler technology	✓	✓
Thermodrive	✓	✓
Front panel	✓	✓
Graphic display	✓	✓

Technical information		
Width x Depth x Height with tall feet (in)	33,7 x 22,4 x 25,4	41,5 x 22,4 x 25,4
Weight (lb)	189,6	229,3
Power at 208-240V 60Hz (W)	3500 - 4700	5400 - 7200



M24 PLUS

DT/2	B7210I9DT01IA	\$ 10.100,00
DT/3	B7310I9DT01IA	\$ 13.000,00

- Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee dosage.
- Push button panels with immediate and precise electro-mechanical buttons and LEDs .
- 2 multi-directional stainless steel steam wands.
- Steam delivery control taps with reduced rotation.
- 1 stainless steel hot water wand.
- Improved accessibility to internal parts.
- Sleek and refined modern look.
- Stainless steel and matt black body.



Features	DT/2	DT/3
Steam wands	2	2
Hot water wands	1	1
Boiler capacity (litres)	10	15
Technical information		
Width x Depth x Height with tall feet (in)	30,3 x 20,1 x 22,4	38,2 x 20,1 x 22,4
Weight (lb)	154,3	198,4
Power at 208-240V~ 60Hz (W)	3700 - 4900	5500 - 7300
Optional		
TurboSteam	B7210I9DTT1IA \$ 11.310,00	B7310I9DTT1IA \$ 14.210,00



M24 SELECT

DT/2 B8210I9DT999A \$ 7,250,00

- Compact, automatic espresso coffee machine equipped with a micro-processor for an easy programming of coffee dosage.
- Push button panels with immediate and precise electro-mechanical buttons and LEDs .
- 2 multi-directional stainless steel steam wands.
- 1 stainless steel hot water wand.
- Steam delivery control taps with reduced rotation.
- Improved accessibility to internal parts.
- Sleek and refined modern look.
- Stainless steel and matt black body.



Features	DT/2
Steam wands	2
Hot water wands	1
Boiler capacity (litres)	5
Technical information	
Width x Depth x Height (mm)	570 x 510 x 495
Weight (kg)	56
Power at 220-240V~ 50Hz (W)	3000 - 3600
Optional	
TurboSteam	B8210I9DTT11A \$ 8,460.00

M21 JUNIOR DT/1

DT/1 BB110IIDF999A \$ 4.750,00

- One-group professional automatic espresso coffee machine for small production needs. The machine can fit cups or glasses of 3.35" of height.
- Electronic auto-recording of coffee dosage.
- Built in volumetric pump.
- 1 steam wand.
- 1 hot water wand.
- Silver body.



Features	DT/1
Steam wands	1
Hot water wands	1
Boiler capacity (liters)	2,5
Specifications	
Width x Depth x Height with tall feet (in)	12,6 x 18,5 x 19,9
Weight (lb)	73
Power at 120V~ 60Hz (W)	1700



CAPTION

PROCESS CERTIFICATION



ISO9001: management system certification.
OHSAS18001: occupational safety certification.
ISO14001: environmental management certification.

PRODUCT AND SAFETY CERTIFICATIONS



Safety certification and testing of consumer and industrial products and components.



The UL-EU Mark certifies that the tested products comply with the European (EN) standards. The Mark applies to both electrical and electronic products and components intended for use in Europe.



The D-Mark is a safety mark registered and provided by UL-Demko.



With the CE mark, which is obligatory in the European Union member countries, the manufacturer states that the individual product is compliance with the general safety regulations in the CE-marking directives.

HYGIENE, HEALTH AND ENVIRONMENT



It certifies the hygienic quality of machines intended for production of food and beverages.



All the machine components in contact with water and steam undergo the Ruveco Teck coating process which drastically reduces the risk of release of metals in the delivered beverages.



Certify that the electrical and electronic equipment do not contain levels of lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyls (PBB) and polybrominated diphenyl ethers (PBDEs) above the legally permitted limit.

IN-THE-CUP QUALITY



Istituto Nazionale Espresso Italiano.

SALES TERMS

- Goods packed in standard cardboard boxes and delivered ex-works.
- Net prices for importers.
- Prices in US \$.

General Notes

- Should the main pressure exceed 6 bars (85,34 psi), the installation of a pressure reducer is required.
- The present price-list cancels and replaces all previous editions.