

The manufacturer reserves the right to modify the appliances presented in this publication without notice.

 **FAEMA**

GRUPPO CIMBALI

Via Manzoni, 17 - 20082

Binasco (MI) Italy

T +39 02.900491

cimbali@gruppocimbali.com

www.gruppocimbali.com

faema.com



PRICE LIST



 **FAEMA**

CONTACTS

Website:

gruppocimbali.com

faema.com

INDEX

• SUPERAUTOMATIC ESPRESSO COFFEE MACHINES	p.	2
• TRADITIONAL ESPRESSO COFFEE MACHINES	p.	9
• CAPTION	p.	25
• SALES TERMS	p.	26



SUPERAUTOMATIC ESPRESSO COFFEE MACHINES

• X30 CS10 MilkPS - Solubles	p.	3
• X30 CP10 MilkPS	p.	4
• X30 S10 TurboSteam Milk4 Cold Touch	p.	5
• X1 GRANDITALIA MilkPs	p.	6
• X1 GRANDITALIA AutoSteam	p.	7
• BARCODE Chocolate & Specialities MilkPS/13	p.	8

X30 CS10

MilkPS - Solubles

D6RMPB9DT999A

\$ 22.600,00

Performance

Recommended daily production (cups):	300
Coffee output (cups / h):	200
Cappuccino output (150cc cups / h):	190
Hot water output (litres / h - 500cc quantities):	29
Liquid heating (litres / h - 500cc quantities):	33

- User friendly, superautomatic espresso and cappuccino coffee machine able to offer a varied menu also thanks to the use of soluble cocoa and hot and cold milk (Snow Milk).
- 10.4" touch screen for an easy machine use. Up to 24 drink selections. Pre-selection mode available.
- Equipped with the patented Smart Boiler technology.
- Cappuccino System for one-step cappuccino and latté simply touching the desired selection, equipped with the exclusive Milk Precision System (MilkPS) and with a special function which allows frothing milk without heating it; milk stays cold.
- 1 steam wand and 1 Teflon coated hot water wand (dosed delivery).
- 2 grinder-dosers featuring titanium coated high-performance grinding burrs.
- PGS (Perfect Grinding System): the PGS system allows minimizing the grind adjustment. During coffee delivery, the machine constantly keeps monitored all parameters of extraction and when required it adjusts the grind and dose of the ground coffee automatically.
- AWS (Automatic Washing System): the milk circuit wash cycle is fully automatic.
- Bi-directional Wi-Fi connectivity and USB port.



Features

Touch Screen drink selections	24
Hot water selections	2
Steam wands	1
Hot water wands	1
Boilers and boilers' capacity (litres)	1x0,7 + 1x1,25
Coffee group diameter (mm)	44 or 50
Grinders-dosers	2
Hoppers	2
Hoppers' capacity (kg)	1x1,2 + 1x1,0
Soluble drink hopper	1
Soluble drink hopper capacity (kg)	1,0

Technical information

Width x Depth x Height with tall feet (in)	370 x 620 x 762
Weight (lb)	79
Power at 220-240V~ 60Hz (W)	4800 - 5700
Power at 380-415V3N~ 60Hz (W)	4800 - 5700



X30 CP10

MilkPS

D6BMPB9DT999A

\$ 21.600,00

Performance

Recommended daily production (cups):	300
Coffee output (cups / h):	200
Cappuccino output (150cc cups / h):	190
Hot water output (litres / h - 500cc quantities):	29
Liquid heating (litres / h - 500cc quantities):	33

- User friendly, superautomatic espresso and cappuccino coffee machine able to offer a varied menu also thanks to hot and cold milk (Snow Milk).
- 10.4" touch screen for an easy machine use. Up to 24 drink selections. Pre-selection mode available.
- Equipped with the patented **Smart Boiler** technology.
- **Cappuccino System** for one-step cappuccino and latté simply touching the desired selection, equipped with the exclusive **Milk Precision System** (MilkPS) and with a special function which allows frothing milk without heating it; milk stays cold.
- **1** steam wand and **1** Teflon coated hot water wand (dosed delivery).
- **PGS** (Perfect Grinding System): the PGS system allows minimizing the grind adjustment. During coffee delivery, the machine constantly keeps monitored all parameters of extraction and when required it adjusts the grind and dose of the ground coffee automatically.
- **2** grinder-dosers featuring titanium coated high-performance grinding burrs.
- **AWS** (Automatic Washing System): the milk circuit wash cycle is fully automatic.
- Bi-directional **Wi-Fi** connectivity and **USB** port.



Features

Touch Screen drink selections	24
Hot water selections	2
Steam wands	1
Hot water wands	1
Boilers and boilers' capacity (litres)	1x0,7 + 1x1,25
Coffee group diameter (mm)	44 or 50
Grinders-dosers	2
Hoppers	2
Hoppers' capacity (kg)	2 x 1,2

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (kg)	79
Power at 220-240V~ 60Hz (W)	4800 - 5700
Power at 380-415V3N~ 60Hz (W)	4800 - 5700



X30 S10

AutoSteam Milk4 Cold Touch

D6ARLB9DT999A

\$ 20.600,00

Performance

Recommended daily production (cups):	300
Coffee output (cups / h):	200
Hot water output (litres / h - 500cc quantities):	29
Liquid heating (litres / h - 500cc quantities):	33

- User friendly, superautomatic espresso.
- 10.4" touch screen for an easy machine use. Up to 24 drink selections. Pre-selection mode available.
- Equipped with the patented **Smart Boiler** technology.
- **1 AutoSteam Milk4 Cold Touch** and **1** Teflon coated hot water wand (dosed delivery).
- **2** grinder-dosers featuring titanium coated high-performance grinding burrs.
- **PGS** (Perfect Grinding System): the PGS system allows minimizing the grind adjustment. During coffee delivery, the machine constantly keeps monitored all parameters of extraction and when required it adjusts the grind and dose of the ground coffee automatically.
- Bi-directional **Wi-Fi** connectivity and **USB** port.



Accessories

Ground disposal kit	€ 200,00
Kit for washing undercounter	€ 110,00

Features

Touch Screen drink selections	24
Hot water selections	2
Steam wands	1
Hot water wands	1
Boilers and boilers' capacity (litres)	1x0,7 + 1x1,25
Coffee group diameter (mm)	44 or 50
Grinders-dosers	2
Hoppers	2
Hoppers' capacity (kg)	2 x 1,2

Technical information

Width x Depth x Height (mm)	370 x 620 x 762
Weight (kg)	79
Power at 220-240V~ 60Hz (W)	4800 - 5700
Power at 380-415V3N~ 60Hz (W)	4800 - 5700



X1 GRANDITALIA

MilkPS

CYLP9EIDT999A

\$ 17.370,00

Performance

Coffee output (cups / h): **200**

Cappuccino output (150cc cups / h): **190**

Hot water output (US gal / h - 500cc quantities): **8,7**

Milk heating (steam) (US gal / h - 500cc quantities): **7,7**

- Compact superautomatic espresso and cappuccino machine.
- Equipped with the patented **Smart Boiler** technology, which significantly boosts steam and hot water capacity (approx. +30%).
- **Cappuccinomatic** for one-step cappuccino and latte, equipped with the exclusive **Milk Precision System** (MilkPS), thanks to which you can: obtain a consistent in-the cup milk dose; customize milk temperature for each selection (patented); prepare stratified beverages; place the fridge under the counter.
- **1** steam wand.
- **1** hot water wand (dosed delivery).
- Double hoppers and grinders.
- Automatic rinsing and cleaning program.
- Silver body.



Accessories

Hopper extension kit (up to 2,6 + 2,6 lb)	NY99B9999999A	\$ 165,00
Card reader kit	N599A99999999A	\$ 565,00
Direct grounds disposal kit	N899A99999999A	\$ 255,00
Sensor to detect coffee in the hopper	N599C99999999A	\$ 255,00

Features

Drink selections	8
Hot water selections	1
Cappuccinomatic with MilkPS	✓
Steam wands	1
Hot water wands	1
Group diameter (mm)	44
Smart Boiler technology	✓
Boilers	1
Boilers capacity (litres)	2,5
Grinder-dosers	2
Hoppers	2
Hoppers capacity (lb)	2,6 (2 x 1,3)

Technical information

Width x Depth x Height with tall feet (in)	13,8 x 24 x 32,5
Weight (lb)	136,7
Power at 208-240V~ 60Hz (W)	2600 - 3600



X1 GRANDITALIA

AutoSteam

CYMI9EIDT999A

\$ 16.330,00

Performance

Coffee output (cups / h): **200**

Hot water output (US gal / h - 500cc quantities): **8,7**

Liquid heating (US gal / h - 500cc quantities): **6,9**

- Compact superautomatic espresso and cappuccino machine.
- Equipped with the patented **Smart Boiler** technology, which significantly boosts steam and hot water capacity (approx. +30%).
- Equipped with the patented **AutoSteam** for milk frothing and heating without manual intervention.
- **1** hot water wand (dosed delivery).
- Double hoppers and grinders.
- Automatic rinsing and cleaning program.
- Silver body.



Accessories

Hopper extension kit (up to 2,6 + 2,6 lb)	NY99B9999999A	\$ 165,00
Card reader kit	N599A99999999A	\$ 565,00
Direct grounds disposal kit	N899A99999999A	\$ 255,00
Sensor to detect coffee in the hopper	N599C99999999A	\$ 255,00

Features

Drink selections	8
Hot water selections	1
Steam wands	AutoSteam
Hot water wands	1
Group diameter (mm)	44
Smart Boiler technology	✓
Boilers	1
Boilers capacity (litres)	2,5
Grinder-dosers	2
Hoppers	2
Hoppers capacity (lb)	2,6 (2 x 1,3)

Technical information

Width x Depth x Height with tall feet (in)	13,8 x 24 x 32,5
Weight (lb)	136,7
Power at 208-240V~ 60Hz (W)	2600 - 3600



BARCODE Chocolate & Specialities MilkPS/13

CBHC1P9DT999A \$ 12.800,00

Performance

Recommended daily output (cups):	100
Coffee output (2 x 30cc cups / h):	200
Cappuccino output (2 x 150cc cups / h):	140
Hot water output (litres / h - 250cc quantities):	18

- Small foot-print, superautomatic espresso, cappuccino and gourmet drinks' machine.
- Soluble, coffee and milk beverages and hot water are delivered by the same spout for a very rich and diversified menu.
- Equipped with the patented **Smart Boiler** technology, which significantly boosts steam and hot water capacity (approx. +30%).
- HiQB coffee group characterised by a variable chamber to ensure optimal extraction of any kind of beverage.
- **Cappuccinomatic** for one-step cappuccino and lat-té, equipped with the exclusive **Milk Precision System** (MilkPS), thanks to which you can: obtain a consistent in-the cup milk dose; customize milk temperature for each selection (patent pending); prepare stratified beverages; place the fridge under the counter.
- Adjustable delivery spout (from 80 to 180 mm).
- Cups' guide.



Accessories

Card reader kit	NR9AL9999999A \$ 565,00
Ground disposal kit	NR9AF9999999A \$ 280,00

Features

Drink selections	8 o 2 x 7
Hot water selections	2
Cappuccinomatic with MilkPS	✓
Adjustable delivery spout	✓
Smart Boiler technology	✓
Boilers	1 + 1
Boilers capacity (litres)	0,9 + 1,1
Coffee grinder-dosers	2
Coffee hoppers	2
Coffee hoppers capacity (kg)	2 x 0,6
Soluble drink hopper (divided into two parts)	✓
Soluble drink hopper capacity (litres)	2 x 0,9

Technical information

Width x Depth x Height with tall feet (in)	13,8 x 24,8 x 29,5
Weight (lb)	106,9
Power at 208-240V~ 60 Hz (W)	1700 - 2300





TRADITIONAL ESPRESSO COFFEE MACHINES

• E71 GTi Autosteam Milk4 Cold Touch Black.....	p.	10
• E71 GTi Autosteam Milk4 Cold Touch White.....	p.	11
• E71 GTi Black	p.	12
• E71 GTi White	p.	13
• E61 JUBILÉ	p.	14
• E61 LEGEND	p.	15
• E61 LE	p.	16
• EMBLEMA R A	p.	17
• EMBLEMA R A AutoSteam Milk4 - Tall Cup Version	p.	18
• TEOREMA A	p.	19
• TEOREMA A AutoSteam Milk4 - Tall Cup Version	p.	20
• ENOVA A	p.	21
• ENOVA A/1 AutoSteam	p.	22
• ENOVA A/1	p.	23
• SMART A Restyling	p.	24

E71 GTi

Autosteam Milk4 Cold Touch



A/2 Black	UB236I9BTG9BA	\$ 28.325,00
A/3 Black	UB336I9BTG9BA	\$ 33.045,00



Black

- **New GTi FAEMA thermal system:** System with independent groupheads to guarantee maximum flexibility and thermal stability: all brewing parameters, including duration, can be under constant control.
- **Dual delivery Management:** The lever placed above each grouphead gives the barista total control over the brewing process. Alternatively, the barista can choose digital mode by use of the 4.3" touch screen display. The lever provides perfect control of brewing and dispensing times, emphasising the sensory qualities of the coffee – its intensity, acidity and body.
- **The boiler is equipped with the patented Smart Boiler system** and it is insulated with a special material which reduces heat loss for a daily energy saving of 40% (according to DIN 18873-2 parameters).
- **1 Cold Touch steam wand with purge function + 1 AutoSteam Milk4 Cold Touch steam wand** (programmed for 4 different milk recipes).
- **1 hot water wand (dosed delivery).**
- **When equipped with the special kit supplied with the Wireless grinder doser, the machine connects via Bluetooth with the grinder-doser itself to report any adjustments of the grinding and dose which are performed automatically.**
- **USB port**
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.

Design by ItalDesign - Giugiaro

Features	A/2	A/3
Steam wands	1 + 1 Autosteam	1 + 1 Autosteam
Hot water wands and selections	1 + 3	1 + 3
Boiler capacity (litres)	7	7
Independent coffee boilers	2	3
Capacity of each independent coffee boiler (cc)	600	600

Specifications	A/2	A/3
Width x Depth x Height (in)	31.26 x 24.1 x 19	40.71 x 24.1 x 19
Weight (kg)	71	90
Supply power	220-240V~ 220-240V3~ 50/60Hz (W) 380-415V3N~	6200 - 7400 7500 - 8800



E71 GTi

Autosteam Milk4 Cold Touch



A/2 White	UB236I1BTG9BA	\$ 28.325,00
A/3 White	UB236I1BTG9BA	\$ 33.045,00



- **New GTi FAEMA thermal system:** System with independent groupheads to guarantee maximum flexibility and thermal stability: all brewing parameters, including duration, can be under constant control.
- **Dual delivery Management:** The lever placed above each grouphead gives the barista total control over the brewing process. Alternatively, the barista can choose digital mode by use of the 4.3" touch screen display. The lever provides perfect control of brewing and dispensing times, emphasising the sensory qualities of the coffee – its intensity, acidity and body.
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material which reduces heat loss for a daily energy saving of 40% (according to DIN 18873-2 parameters).
- **1 Cold Touch steam wand with purge function + 1 AutoSteam Milk4 Cold Touch steam wand** (programmed for 4 different milk recipes).
- **1 hot water wand** (dosed delivery).
- When equipped with the special kit supplied with the Wireless grinder doser, the machine connects via Bluetooth with the grinder-doser itself to report any adjustments of the grinding and dose which are performed automatically.
- **USB** port
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.



White

Design by ItalDesign - Giugiaro

Features	A/2	A/3
Steam wands	2	2
Hot water wands and selections	1 + 3	1 + 3
Boiler capacity (litres)	7	7
Independent coffee boilers	2	3
Capacity of each independent coffee boiler (cc)	600	600

Specifications	A/2	A/3
Width x Depth x Height (in)	31.26 x 24.1 x 19	40.71 x 24.1 x 19
Weight (kg)	71	90
Supply power	220-240V~ 220-240V3~ 50/60Hz (W) 380-415V3N~	7500 - 8800



E71 GTi



A/2 Black	UB236I9BT999A	\$ 27.050,00
A/3 Black	UB336I9BT999A	\$ 31.690,00

- **New GTi FAEMA thermal system:** System with independent groupheads to guarantee maximum flexibility and thermal stability: all brewing parameters, including duration, can be under constant control.
- **Dual delivery Management:** The lever placed above each grouphead gives the barista total control over the brewing process. Alternatively, the barista can choose digital mode by use of the 4.3" touch screen display. The lever provides perfect control of brewing and dispensing times, emphasising the sensory qualities of the coffee – its intensity, acidity and body.
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material which reduces heat loss for a daily energy saving of 40% (according to DIN 18873-2 parameters).
- **2** Cold Touch steam wands with purge function or **1** Cold Touch steam wand with purge function + **1** **AutoSteam Milk** **4** **Cold Touch** steam wand (programmed for 4 different milk recipes).
- **1** hot water wand (dosed delivery).
- When equipped with the special kit supplied with the Wireless grinder doser, the machine connects via Bluetooth with the grinder-doser itself to report any adjustments of the grinding and dose which are performed automatically.
- **USB** port
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.



Black

Design by ItalDesign - Giugiaro

Features	A/2	A/3
Steam wands	2	2
Hot water wands and selections	1 + 3	1 + 3
Boiler capacity (litres)	7	7
Independent coffee boilers	2	3
Capacity of each independent coffee boiler (cc)	600	600

Specifications	A/2	A/3
Width x Depth x Height (in)	31.26 x 24.1 x 19	40.71 x 24.1 x 19
Weight (kg)	71	90
Supply power	220-240V~ 220-240V3~ 50/60Hz (W) 380-415V3N~	6200 - 7400 7500 - 8800



E71 GTi



A/2 White	UB25611BT999A	\$ 27.050,00
A/3 White	UB33611BT999A	\$ 31.690,00

- **New GTi FAEMA thermal system:** System with independent groupheads to guarantee maximum flexibility and thermal stability: all brewing parameters, including duration, can be under constant control.
- **Dual delivery Management:** The lever placed above each grouphead gives the barista total control over the brewing process. Alternatively, the barista can choose digital mode by use of the 4.3" touch screen display. The lever provides perfect control of brewing and dispensing times, emphasising the sensory qualities of the coffee – its intensity, acidity and body.
- **The boiler is equipped with the patented Smart Boiler system** and it is insulated with a special material which reduces heat loss for a daily energy saving of 40% (according to DIN 18873-2 parameters).
- **2 Cold Touch steam wands with purge function or 1 Cold Touch steam wand with purge function + 1 AutoSteam Milk4 Cold Touch steam wand** (programmed for 4 different milk recipes).
- **1 hot water wand** (dosed delivery).
- **When equipped with the special kit supplied with the Wireless grinder doser,** the machine connects via Bluetooth with the grinder-doser itself to report any adjustments of the grinding and dose which are performed automatically.
- **USB port**
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.



White

Design by ItalDesign - Giugiaro

Features	A/2	A/3
Steam wands	2	2
Hot water wands and selections	1 + 3	1 + 3
Boiler capacity (litres)	7	7
Independent coffee boilers	2	3
Capacity of each independent coffee boiler (cc)	600	600

Specifications	A/2	A/3
Width x Depth x Height (in)	31.26 x 24.1 x 19	40.71 x 24.1 x 19
Weight (kg)	71	90
Supply power	220-240V~ 220-240V3~ 50/60Hz (W) 380-415V3N~	7500 - 8800



TRADITIONAL ESPRESSO COFFEE MACHINES

E61 JUBILÉ

A/1 A1110QIDT999A \$ 10,860.00

A/2 A1210QIDT999A \$ 14,380.00

- Originally launched in 1961, this evergreen continues to strengthen FAEMA's myth.
- Automatic espresso coffee machine equipped with a micro-processor for an easy programming of coffee and hot water dosage.
- Adjustable group thermal balancing system (patented).
- Stainless steel body.



Features	A/1	A/2
Steam wands	1	1
Hot water selections	1	1
Boiler capacity (liters)	6	11
Hot water economizer	✓	✓
Technical information		
Width x Depth x Height with tall feet (in)	21,9 x 21,3 x 26,5	28,1 x 21,3 x 26,5
Weight (lb)	112,4	132
Power at 208-240V~ 60Hz (W)	3000 - 3900	4200 - 5600



E61 LEGEND

S/1	A1112IIDT999A	\$ 9,400.00
S/2	A1212IIDT999A	\$ 11,500.00
S/3	A1312IIDT999A	\$ 13,630.00

- Originally launched in 1961, this evergreen continues to strengthen FAEMA's myth.
- Semi-automatic espresso coffee machine.
- Adjustable group thermal balancing system (patented).
- Stainless steel body.



Features	S/1	S/2	S/3
Steam wands	1	1	2
Boiler capacity (liters)	6	11	17,5
Hot water economizer	✓	✓	✓
Technical information			
Width x Depth x Height with tall feet (in)	21,9 x 21,3 x 26,5	28,1 x 21,3 x 26,5	37,6 x 21,3 x 26,5
Weight (lb)	112,4	132	176,4
Power at 208-240V~ 60Hz (W)	3000 - 3900	4200 - 5600	5200 - 7000



E61 LE

S/2 A1212IJD7999A

\$ 12.050,00

- Semi-automatic espresso coffee machine specifically thought to celebrate the 70th FAEMA birthday.
- Adjustable thermal balancing system.
- Hot water economiser.
- 1 hot water wand.



Features	S/2
Hot water wand	1
Steam wand	1
Boiler capacity (liters)	11
Hot water economizer	✓
Technical information	
Width x Depth x Height with tall feet (in)	28,1 x 21,3 x 26,5
Weight (lb)	132
Power at 208-240V~ 60Hz (W)	4200 - 5600



EMBLEMA R A



A/2 AE210H9BT999	\$ 17.810,00
A/3 AE310H9BT999	\$ 21.290,00
A/4	\$ 24.620,00



- Automatic espresso coffee machine equipped with a micro-processor for an easy programming of coffee and hot water dosage.
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material which reduces heat loss for a daily energy saving of 21% (according to DIN 18873-2 parameters).
- Adjustable thermal balancing system (patented).
- **2** standard steam wands.
- **1** hot water wand (dosed delivery).
- **Advanced electronics:** When equipped with the special kit supplied with the Wireless grinder-doser, the machine connects via Bluetooth with the grinder-doser itself to report any adjustments of the grinding and dose which are performed automatically.
- **USB** port to update the machine's software, download data and / or configuration of the recipes via USB.
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.
- Lighting.

Design by Giugiaro

Features	A/2	A/3	A/4
Steam wands	2	2	2
Hot water wands	1	1	1
Hot water selections	3	3	3
Boiler capacity (litres)	11	17,5	24,1
Smart Boiler	✓	✓	✓
Graphic display to run the machine and for adv sentences	✓	✓	✓
Electric cup warmer (3 temperature settings)	✓	✓	✓
Lighting in different colours	✓	✓	✓

Technical information

Width x Depth x Height with tall feet (in)	31,5 x 22,2 x 24,2	39,4 x 22,2 x 24,2	47,2 x 22,2 x 24,2
Weight (lb)	178	212	249
Power at 208-240V~ 60Hz (W)	3800 - 5000	5200 - 6900	5300 - 7000





EMBLEMA R A

AutoSteam Milk4 - Tall Cup Version

A/2 AE210H9BTDDG	\$ 18.410,00
A/3 AE310H9BTDDG	\$ 21.910,00



- Automatic espresso coffee machine equipped with a micro-processor for an easy programming of coffee and hot water dosage. Specifically designed to accommodate tall cups or glasses (max cup height 14,4 cm).
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material which reduces heat loss for a daily energy saving of 21% (according to DIN 18873-2 parameters).
- Adjustable thermal balancing system (patented).
- Equipped with **1** standard steam wand and **1 AutoSteam Milk4** froth and heat milk without manual intervention (programmed for 4 different milk cream quantities).
- **1** hot water wand (dosed delivery).
- **Advanced electronics:** when equipped with the special kit supplied with the Wireless grinder-doser, the machine connects via Bluetooth with the grinderdoser itself to report any adjustments of the grinding and dose which are performed automatically.
- **USB** port to update the machine's software, download data and / or configuration of the recipes via USB.
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.
- Lighting.

Design by Giugiaro

Features	A/2	A/3
Steam wands	1 + AS Milk4	1 + AS Milk4
Hot water wands	1	1
Hot water selections	3	3
Boiler capacity (litres)	11	17,5
Smart Boiler	✓	✓
Graphic display to run the machine and for adv sentences	✓	✓
Electric cup warmer (3 temperature settings)	✓	✓
Lighting in different colours	✓	✓
Technical information		
Width x Depth x Height with tall feet (in)	31,5 x 22,2 x 24,2	39,4 x 22,2 x 24,2
Weight (lb)	178	212
Power at 208-240V~ 60Hz (W)	3800 - 5000	5200 - 6900



TEOREMA A



A/2 B0210H9BT999A	\$ 14.000,00
A/3 B0310H9BT999A	\$ 18.500,00



- Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee and hot water dosage.
- Adjustable thermal balancing system (patented).
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material that reduces heat loss for a daily energy savings of 24% (according to DIN 18873-2 parameters).
- **2** standard steam wands.
- **1** hot water wand (dosed delivery).
- **Advanced electronics:** when equipped with the special kit supplied with the Wireless grinder-doser, the machine connects via Bluetooth with the grinder-doser itself to report any adjustments of the grinding and dose which are performed automatically.
- **USB** port to update the machine's software, download data and / or configuration of the recipes via USB.
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.

Design by Valerio Cometti + V12 Design

Features	A/2	A/3
Steam wands	2	2
Hot water wands	1	1
Hot water selections	2	2
Boiler capacity (litres)	11	17,5
Smart Boiler	✓	✓
Graphic display	✓	✓
Electric cup warmer (3 temperature settings)	✓	✓
Technical information		
Width x Depth x Height with tall feet (in)	30,6 x 20,1 x 21,7	38,4 x 20,1 x 21,7
Weight (lb)	154	187
Power at 208-240V~ 60Hz (W)	3800 - 5000	5200 - 6900





TEOREMA A

AutoSteam Milk4 - Tall cup Version

A/2 B0210H9BTDDGA	\$ 15.800,00
A/3 B0310H9BTDDGA	\$ 19.500,00



- Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee and hot water dosage. Specifically designed to accommodate tall cups or glasses (max cup height 5.5 in / 14 cm).
- Adjustable thermal balancing system (patented).
- The boiler is equipped with the patented **Smart Boiler** system and it is insulated with a special material that reduces heat loss for a daily energy savings of 24% (according to DIN 18873-2 parameters).
- **1** standard steam wand + **1 AutoSteam Milk4** for milk frothing and heating without manual intervention (for 4 different milk cream quantities).
- **1** hot water wand (dosed delivery).
- **Advanced electronics:** when equipped with the special kit supplied with the Wireless grinder-doser, the machine connects via Bluetooth with the grinder-doser itself to report any adjustments of the grinding and dose which are performed automatically.
- **USB** port to update the machine's software, download data and / or configuration of the recipes via USB.
- **Green machine:** last generation eco-technological solutions thought to conjugate energy saving and environmental respect.

Design by Valerio Cometti + V12 Design

Features	A/2	A/3
Steam wands	1+AutoSteam Milk4	1+AutoSteam Milk4
Hot water wands	1	1
Hot water selections	2	2
Boiler capacity (litres)	11	17,5
Smart Boiler	✓	✓
Graphic display	✓	✓
Electric cup warmer (3 temperature settings)	✓	✓

Technical information

Width x Depth x Height with tall feet (in)	30,6 x 20,1 x 21,7	38,4 x 20,1 x 21,7
Weight (lb)	154	187
Power at 208-240V~ 60Hz (W)	3800 - 5000	5200 - 6900



TRADITIONAL ESPRESSO COFFEE MACHINES

ENOVA A

A/2 BU210H9DTDDAA	\$ 10.280,00
A/3 BU310H9DTDDAA	\$ 14.420,00

- Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee dosage.
- Specifically designed to fit up to 4.6 inches tall cups.
- Adjustable group thermal balancing system (patented).
- 2 steam wands. Upon request the machine can be equipped with the patented AutoSteam for milk frothing and heating without manual intervention.
- 1 hot water wand.



Features	A/2	A/3
Steam wands	2	2
Hot water wands	1	1
Boiler capacity (liters)	11	17,5
Hot water economizer	✓	✓

Technical information

Width x Depth x Height with tall feet (in)	28,2 x 22,2 x 24	36,1 x 22,2 x 24
Weight (lb)	146	176
Power at 208-240V~ 60Hz (W)	4200 - 5600	5500 - 7300

Accessories

AutoSteam kit	\$ 1.380,00	\$ 1.380,00
---------------	-------------	-------------



TRADITIONAL ESPRESSO COFFEE MACHINES

ENOVA A/1

AutoSteam

A/1 B2110H9DTDEHA

\$ 6.850,00

- Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee dosage.
- Specifically designed to fit up to 4.6 inches tall cups.
- Adjustable group thermal balancing system (patented).
- 1 patented **AutoSteam** wand for milk frothing and heating without manual intervention.
- 1 hot water wand.



Features	A/1
Steam wands	AutoSteam
Hot water wands	1
Boiler capacity (liters)	5
Hot water economizer	✓
Technical information	
Width x Depth x Height with tall feet (in)	15,7 x 22,2 x 24
Weight (lb)	108
Power at 208-240V~ 60Hz (W)	2600 - 3400



TRADITIONAL ESPRESSO COFFEE MACHINES

ENOVA A/1

A/1 B2110H9DFDEAA \$ 5,400,00

- Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee dosage.
- Specifically designed to fit up to 4.6 inches tall cups.
- Adjustable group thermal balancing system (patented).
- **1** steam wand. Upon request the machine can be equipped with the patented AutoSteam for milk frothing and heating without manual intervention.
- **1** hot water wand.



Features	A/1
Steam wands	1
Hot water wands	1
Boiler capacity (liters)	5
Hot water economizer	✓
Technical information	
Width x Depth x Height with tall feet (in)	15,7 x 22,2 x 24
Weight (lb)	108
Power at 120V~ 60Hz (W)	1700



TRADITIONAL ESPRESSO COFFEE MACHINES

SMART A Restyling

A/2 BY210H9DT999A

\$ 7.100,00

- Automatic espresso coffee machine equipped with a microprocessor for an easy programming of coffee dosage.
- **2** steam wands.
- **1** hot water wand.

Design by Giugiaro



Features	A/2
Steam wands	2
Hot water wands	1
Boiler capacity (liters)	11
Hot water economizer	✓
Specifications	
Width x Depth x Height with tall feet (in)	25,8 x 21 x 24,7
Weight (lb)	121,3
Power at 208-240V~ 60Hz (W)	4300 - 4800



CAPTION

PROCESS CERTIFICATION



ISO9001: management system certification.
OHSAS18001: occupational safety certification.
ISO14001: environmental management certification.

PRODUCT AND SAFETY CERTIFICATIONS



Safety certification and testing of consumer and industrial products and components.



The UL-EU Mark certifies that the tested products comply with the European (EN) standards. The Mark applies to both electrical and electronic products and components intended for use in Europe.



The D-Mark is a safety mark registered and provided by UL-Demko.



With the CE mark, which is obligatory in the European Union member countries, the manufacturer states that the individual product is compliance with the general safety regulations in the CE-marking directives.

HYGIENE, HEALTH AND ENVIRONMENT



It certifies the hygienic quality of machines intended for production of food and beverages.



All the machine components in contact with water and steam undergo the Ruveco Teck coating process which drastically reduces the risk of release of metals in the delivered beverages.



Certify that the electrical and electronic equipment do not contain levels of lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyls (PBB) and polybrominated diphenyl ethers (PBDEs) above the legally permitted limit.

IN-THE-CUP QUALITY



Istituto Nazionale Espresso Italiano.

SALES TERMS

- Goods packed in standard cardboard boxes and delivered ex-works.
- Net prices for importers.
- Prices in US \$.

General Notes

- Should the main pressure exceed 6 bars (85,34 psi), the installation of a pressure reducer is required.
- The present price-list cancels and replaces all previous editions.